| INFO | RMATION DIS | CLOSUREVOT | NONTE | WITH DOCUMENT (| COPIES | • | |
|----------------|----------------------|-----------------------------------|-----------------|---|--|----------------|-------------------------------|
| Submitted by: | | DEC 2.7 2006 % | | Atty. Docket No. DP-310179 | Seria | 1 No. 08245 | |
| | | A DEC 27 | עיע ליען | Applicant | | | |
| SCO | IT A. MCBAIN | ER 2285 MADE | | Taeyoung Han. | | | |
| CUST | OMER NUMB | ER 2285 TAGE | ANPIKU | | | | |
| Delph | i Technologies, | Inc., | | Piller Deer | 1.0 | | |
| | No. 37181 | | | Filing Date March 24, 2004 | Gro 176 | | |
| | | U.S. | PATENT | DOCUMENTS | | | |
| Exam. Init. | Document Number | Date | Name | | Class | Sub Class | Filing Date (if approp.) |
| KAB | 2,861,900 | 11/25/1958 | Smith, e | t al. | 1 | l | Ī |
| KAB | 3,100,724 | 08/14/1964 | Rochevi | lle . | l | l | 1 |
| KAB | 3,876,456 | 04/08/1975 | Ford, et | al | | | 1 |
| KAB | 3,993,411 | 11/23/1976 | Babcock | c, et al. | | | |
| KAB | 3,996,398 | 12/1976 | Manfred | li | | | |
| KAB | 4,263,335 | 04/21/1981 | Wagner, | , et al. | | 1 | |
| KAB | 4,416,421 | 11/22/1983 | Brownin | ıg, et al. | | <u> </u> | |
| KAB | 4,606,495 | 08/19/1986 | Stewart, | Jr., et al. | ` | | . |
| | | | | N PATENT DOCUMI | | | |
| | Document Number | Date | Country | 9 | Class | Subclass | Translation Yes No |
| | 103009934 | 02/06/2003 | wo | | 1 | 1 | Yes |
| | 04180770 | 06/26/1992 | JP | | 1 | <u> </u> | Abstract Only |
| | 104243524 | 08/31/1992 | JP | •••••• | | | Abstract Only |
| | | | | thor, Title, Date, Perti | | | |
| KAB | Van Steenkist | e, et al; Kinetic S | Spray Coa | tings; in Surface & Coa | tings Techi | nology III; 19 | 99, pp62-71 |
| KAB | | hniques, in Jour | | abrication of Metal Mati terial Science; 1994; pp | | | |
| KAB | | Cold Gas-Dynan on of Technolog | | ng Method A New Meth sibirsk, Russia | od For Co | atings Deposi | tion Promises A |
| KAB | | ; Characterizational Thermal Spi | | er And Steel Coatings N | Made By T | ne Cold Gas- | Dynamic Spray |
| Examin | ¢Katherine | A. BarefΦ | ade/Consid | dered 02/01/20 | 07 | | |
| Draw li | | tion if not in co | | ther or not citation is in the and not considered. I | | | |
| | | | | | | | |

| Submi | Submitted by: | | | Atty. Docket No. DP-310179 | | al No. 08245 | |
|----------------|---------------------------------------|-----------------------------|------------|---------------------------------|--|-----------------|-------------------------------|
| CUST | TT A. MCBAIN OMER NUMBI | | | Applicant Taeyoung Han | | | |
| - | No. 37181 | | | Filing Date 03-24-2004 | | oup 62 | |
| | · · · · · · · · · · · · · · · · · · · | U.S. | PATENT | DOCUMENTS | | | |
| Exam. Init. | Document Number | Date | Name | | Class | Sub Class | Filing Date (if approp.) |
| KAB | 4,891,275 | 01/02/1990 | Knoll | | ı | I | l |
| KAB | 4,939,022 | 07/03/1990 | Palanisa | my | 1 | | l |
| KAB | 5,187,021 | 02/16/1993 | Vydra, e | et al | | 1 | |
| KAB | 5,217,746 | 06/1993 | Lenling, | et al | | 1 | |
| KAB | 5,271,965 | 12/21/1993 | Brownir | ng | | | 1 |
| KAB | 5,302,414 | 04/12/1994 | Alknimo | or, et al | | 1 | 1 |
| KAB | 5,308,463 | 05/03/1994 | Hoffmaı | nn, et al | | | |
| KAB | 5,340,015 | 08/23/1994 | Hira, et | al. | | | |
| | | | FOREIG | N PATENT DOCUM | MENTS | | |
| | Document Number | Date | Country | y | Class | Subclass | Translation Yes No |
| | 42 36 911 | 12-23-1993 | German | у | | + | No |
| | 55031161 | 03-05-1980 | Japan | | | | + Abstract Only |
| | 61249541 | - 11-06-1986 - | Japan | | | + | - Abstract Only |
| ••- | OTHER DOC | UMENTS (Inc | luding Au | thor, Title, Date, Per | tinent Page | s, Etc.) | |
| CAB | Alkhimov, et | | | as-Dynamic Deposition | | | |
| KAB | 8(4); 1999 pp. 3 | l; Impact of Hig 559-564 | h Velocity | Cold Spray Particles | ; in Journal c | of Thermal Sp | ray Technology |
| KAB | | Thermal Resista | nce At Int | erfaces; Appl. Phys. L | ett., Vol. 51 | , No 26, 28; I | December 1987; |
| KAB | Davis, et al; T pp.4494-4960 | hermal Conduct | | etal-Matrix Composit | es; J. Appl. I | Phys. 77(10), | May 15, 1995; |
| Examin | ¢Katherine | A. Barefo | Att Consi | dered 02, | | | |
| Draw li | | ition if not in co | | ther or not citation is | d. Include co | nance with M | |

| Submitted by: | | | | Atty. Docket No. DP-310179 | | Serial No. .0/808245 | |
|----------------|----------------------------------|-------------------------------------|----------------|---|-------------|--|---------------------------------------|
| | | | | Applicant | | | |
| | T A. MCBAIN | | | Taeyoung Han | | | |
| | OMER NUMB | | | 1 | | | |
| Delph | i Technologies, | inc., | | Filing Date | | Group | · · · · · · · · · · · · · · · · · · · |
| Reg. N | No. 37181 | | | 03/24/2004 | İ | 1762 | |
| | | | | DOCUMENTS | | | |
| Exam. Init. | Document Number | Date | Name | | Clas | s Sub Class | Filing Date (if approp.) |
| _KAB | 5,362,523 | 11/1994 | Gorynin | , et al. | Ī | <u> </u> | 1 |
| KAB | 5,395,679 | 03/07/1995 | Myers, e | et al. | | | <u> </u> |
| | 5,242,101 | 06/13/1995 | Atkins, | et al. | + | | + |
| KAB | 5,464,146 | 11/07/1995 | Zalvzec | ctal Zaluzec e | t al | | |
| KAB | 5,476,725 | 12/19/1995 | Papich, | et al. | <u> </u> | | <u> </u> |
| KAB | 5,525,570 | 06/11/1996 | Chakrab | orty, et al. | 1 | | <u> </u> |
| KAB | 5,527,627 | 06/18/1996 | Lautzen | hiser, et al. | | <u></u> | <u> </u> |
| KAB | 5,585,574 | 12/17/1999 | Sugihara | a, et al. | | | |
| | 15 | | | N PATENT DOCUM | | | 100) |
| | Document Number | Date | Country | y | Class | s Subclass | Translation Yes No |
| | 98/22639 | 05/1998 | wo | | - | | |
| | 199 59 515 |] 06/13/2001 | German | y | 1 | | No |
| | 100 37 212 | 01/17/2002 | German | y | + | | - No |
| | | | | thor, Title, Date, Per | | | |
| KAB | | | | za Conductance betwee March 9, 1992; pp. 15 | | | Metals; Physical |
| KAB | | | | eat flow between solid nber 1, 1993-II; pp. 16 | | | 0 to 300k; Physica |
| KAB | | l; Diamond/Al m Vol. 8, No. 5, M | | c composites formed b | y the pre | ssureless metal i | nfiltration process |
| KAB | Rajan, et al; F pp. 3491-3503 | • | oatings and | l interfaces in Aluminu | ım Meta | • | sites; |
| Examin | Katherine | A. Barefd | ate Consi | dered 02/01/20 | 007 | | |
| Draw li | ne through cita | ation if not in co | | ther or not citation is ce and not considered | | | |
| <u>commu</u> | nication to app | licant | | | | | |

| <u>RMATION DIS</u> | <u>SCLOSURE CI'</u> | <u> TATION '</u> | <u>WITH DOCUMEN</u> | T COPIE | <u>S</u> | |
|---|---|--|---|------------------------------|--------------------------------------|---------------------------|
| Submitted by: | | | Atty. Docket No. DP-310179 | , | | |
| OMER NUMB i Technologies, | ER 22851 | | Applicant Taeyoung Han Filing Date 03-24-2004 | | Group 1762 | |
| | | D. CONTROL | DOCK MENTE | · · · · · | | |
| Document | | | DOCUMENTS | Class | Sub | Filing Date |
| Number | Date | Name | | Class | Class | (if approp.) |
| 5,593,740 | 01/14/1997 | Strumbo | n, et al. | | | |
| 5,648,123 | 07/15/1997 | Kuhn, et | al. | <u> </u> | | 1 |
| 5,683,615 | 11/04/1997 | Munoz | | l | | |
| 5,795,626 | 08/18/1998 | Grabel, e | et al. | | | |
| 5,854,966 | 12/29/1998 | Kampe, | et al. | l | | |
| 5,875,626 | 03/02/1999 | Singer, e | t al. | - | | |
| 5,887,335 | 03/30/1999 | Garshell | s - | | | |
| 5,889,215 | 03/30/1997 | Kilmarti | n, et al. | | | |
| | | FOREIG | N PATENT DOCU | <u>JMENTS</u> | | |
| Document Number | Date | Country | , | Class | Subclass | Translation Yes No |
| 101 26 100 | 12/05/2002 | Germany | / | 1 | | No |
| 1-160-348 | - 12/05/2001 | EP | | | | Yes |
| +02/052064 | 101/04/2002 | WIPO | | . | | Abstract Only |
| OTHER DOC | CUMENTS (Inc | luding Au | thor, Title, Date, Po | ertinent Pa | ages, Etc.) | |
| LEC Manufa | cturing And Eng | ineering Co | omponents; Lanxide | Electronic | Components, In | ıc. |
| Dykhuizen, e pp. 205-212. | t al.; Gas Dynam | ic Principl | es of Cold Spray; Jo | ournal of T | hermal Spray Te | chnology; 06-98; |
| McCune, et a | l; An Exploration | n of the Co | ld Gas-Dynamic Sp | ray Method | d For Several Ma | aterials Systems |
| Ibrahim, et al 1137-1156. | ; Particulate Reii | nforced Ma | atrix Composites – A | A Review; . | Journal of Matria | als science 26; pp. |
| ^{cr} /Katherin | e A. Baref | eta Consid | iered 02/ | 01/2007 | 7 | |
| ne through cita | ation if not in co | | | | | |
| | Document Number 15,593,740 5,648,123 5,683,615 5,795,626 5,854,966 5,875,626 5,887,335 15,889,215 Document Number 101 26 100 1 160 348 102/052064 Dykhuizen, e pp. 205-212. McCune, et a Ibrahim, et al 1137-1156. er/Katherin Intial if ine through cital iner: Initial if ine through cital | TT A. MCBAIN TOMER NUMBER 22851 ii Technologies, Inc., No. 37181 U.S. Document Date Number 5,593,740 01/14/1997 5,648,123 07/15/1997 5,683,615 11/04/1997 5,795,626 08/18/1998 5,854,966 12/29/1998 5,854,966 12/29/1999 5,887,335 03/30/1999 5,887,335 03/30/1999 5,889,215 03/30/1997 Document Date Number 101 26 100 12/05/2002 1 160 348 12/05/2001 02/052064 01/04/2002 OTHER DOCUMENTS (Inc LEC Manufacturing And Eng Dykhuizen, et al.; Gas Dynam pp. 205-212. McCune, et al; An Exploration Ibrahim, et al; Particulate Rein 1137-1156. Ibrahim, et al; Particulate Rein Itrahim, et al; Particulate Itrahim, et al; Particulate | TT A. MCBAIN TOMER NUMBER 22851 Technologies, Inc., No. 37181 U.S. PATENT Document Date Name Number | Atty. Docket No. DP-310179 | Arty, Docket No. S DP-310179 1 | DP-310179 |

| INFO | RMATION DIS | CLOSURE CI | TATION WITH DOCUMENT | | 1 1 2 | |
|-----------------|--|--|--|--|---|---|
| Subm | nitted by: | | Atty. Docket No. DP-310179 | | ıl No. 08245 | |
| CUST | TT A. MCBAIN FOMER NUMBE ni Technologies, l | | Applicant Taeyoung Han | | | |
| Reg. | No. 37181 | | Filing Date 03-24-2004 | Gro 17 | • | |
| | | | PATENT DOCUMENTS | | | |
| Exam. Init. | Document Number | Date | Name | Class | Sub Class | Filing Date (if approp.) |
| KAB | 5,894,054 | 04/13/1999 | Poruchuri, et al. Paruchuri | i et al | l | [|
| KAB | 5,907,761 | 05/25/1999 | Tohma, et al. | 1 | 1 | 1 |
| KAB | 5,952,056 | 09/14/1999 | Jordan, et al. | 1 | 1 | 1 |
| KAB | 5,965,193 | 10/12/1999 | Ning, et al. | 1 | 1 | |
| KAB | 5,989,310 | 11/23/1999 | Chu, et al. | 1 | I | |
| KAB | 6,033,622 | 03/07/2000 | Maruyama | | 1 | |
| KAB | 6,051,045 | 04/18/2000 | Narula, et al. | | 1 | 1 |
| KAB | 6,051,277 | 04/18/2000 | Claussen, et al. | 1 | 1 | 1 |
| | | | | UZNITE | | |
| | | | FOREIGN PATENT DOCUM | IDN 12 | | |
| | Document Number | Date | Country | Class | Subclass | Translation Yes No |
| | | Date | | | Subclass | |
| | Number 1245854A2 OTHER DOC | | Country | Class | s, Etc.) | Yes No Yes |
| KAB | Number 1245854A2 OTHER DOC I.J. Garshelis, | | Country EP | Class | s, Etc.) | Yes No Yes |
| KAB | Number 1245854A2 OTHER DOC I.J. Garshelis, Polarized Circu I.J. Garshelis, | UMENTS (Incet al; A Magnet imferential Regions et al; Develoop | Country | Class | s, Etc.) Divided Into | Yes No Yes Two Oppositely |
| •••• | Number 1245854A2 OTHER DOC: I.J. Garshelis, Polarized Circu I.J. Garshelis, Systems; SAE I | UMENTS (Incest al; A Magnet amferential Register al; Develoop Paper No. 92076 | Country EP Iuding Author, Title, Date, Pert coelastic Torque Transducer Utilizations; MMM 1995; Paper No. BB-ment of a Non-Contact Torque Transducer T | inent Page zing a Ring 08 | s, Etc.) Divided Into | Yes No Yes Two Oppositely wer Steering |
| КАВ | Number 1245854A2 OTHER DOC! I.J. Garshelis, Polarized Circu I.J. Garshelis, Systems; SAE I Boley, et al; T. Torque Sensors | UMENTS (Incet al; A Magnet amferential Regiment al; Develoop Paper No. 92070 the Effects of Ho; Proceedings of al; Low Coerci | Country EP Luding Author, Title, Date, Pert toelastic Torque Transducer Utilizions; MMM 1995; Paper No. BB-ment of a Non-Contact Torque Tr. 1992; pp. 173-182. | inent Pages ing a Ring 08 ransducer Fo | s, Etc.) Divided Into | Yes No Yes Two Oppositely wer Steering agnetoelastic |
| KAB KAB | Number 1245854A2 OTHER DOC I.J. Garshelis, Polarized Circu I.J. Garshelis, Systems; SAE I Boley, et al; Torque Sensors J.E. Snyder, et Submitted for the state of the state o | tal; Develoop Paper No. 92070 the Effects of Ho; Proceedings o | Country EP Luding Author, Title, Date, Pert toelastic Torque Transducer Utilizations; MMM 1995; Paper No. BB-ment of a Non-Contact Torque Transducer Treatment on the Magnetic Best Sicon '01; November 2001. | inent Pages ing a Ring 08 cansducer For chavior of R | s, Etc.) Divided Into or Electric Po ng – Type Ma | Yes No Yes Two Oppositely wer Steering agnetoelastic |
| KAB KAB | Number 1245854A2 OTHER DOC I.J. Garshelis, Polarized Circu I.J. Garshelis, Systems; SAE I Boley, et al; T. Torque Sensors J.E. Snyder, et Submitted for the Conf. ASM 9/19 | UMENTS (Inc. et al; A Magnet imferential Regimeratial Regimeration of the Effects of Hot; Proceedings of al; Low Coercine MAR 99 Mes, An Exploration 1995. | Country Coun | inent Pagesting a Ring 08 cansducer For the Giant Piociety. | s, Etc.) Divided Into or Electric Po ng – Type Ma | Yes No Yes Yes Two Oppositely wer Steering agnetoelastic d33, Abstract hermal Spray |
| KAB KAB KAB KAB | Number 1245854A2 OTHER DOC I.J. Garshelis, Polarized Circu I.J. Garshelis, Systems; SAE I Boley, et al; T. Torque Sensors J.E. Snyder, et Submitted for the McCune, et al; Conf. ASM 9/19 | tal; Develoop Paper No. 92070 he Effects of Ho; Proceedings of tal; Low Coercine MAR 99 Messer March 1995. al; Pulse Excital, pp. 1998-200 | Country Coun | inent Pages zing a Ring 08 cansducer For chavior of R with Giant Piociety. | s, Etc.) Divided Into or Electric Po ng – Type Ma | Yes No Yes Yes Two Oppositely wer Steering agnetoelastic d33, Abstract hermal Spray |

| INFO | RMATION DIS | CLOSURE CI | TATION ' | WITH DOCUMENT | | | |
|----------------|-----------------------------------|--------------------|-------------------|--|---------------|------------------|-------------------------------|
| Subm | itted by: | | | Atty. Docket No. DP-310179 | | al No. 308245 | |
| CUST | TT A. MCBAIN | ER 22851 | • | Applicant Taeyoung Han | | | |
| - | i Technologies, | Inc., | | Filing Date | | oup | |
| Reg. f | No. 37181 | | | 03-24-2004 | 17 | 762 | |
| | ID . | | | DOCUMENTS | 100 | 10.1 | 1 7711 77 4 |
| Exam. Init. | Document Number | Date | Name | | Class | Sub Class | Filing Date (if approp.) |
| KAB | 6,074,737 | 06/13/2000 | Jordan, | et al | | 1 | |
| KAB | 6,119,667 | 09/19/2000 | Boyer, e | | | | |
| KAB | 6,129,948 | 10/10/2000 | Plumme | t, et al. Plummer | et al | | |
| KAB | 6,139,913 | 10/31/2000 | Van Stee | enkiste, et al | | | 1 |
| KAB | 6,149,736 | 11/21/2000 | Sukigara | a, et al. | | | |
| KAB | 6,159,430 | 12/12/2000 | Foster | | | | |
| KAB | 6,189,663 | 02/20/2001 | Smith, e | t al. | 1 | | |
| KAB | 6,283,386 | 09/04/2001 | Van Stee | enkiste, et al. | 1 | <u> </u> | 1 |
| | | | FOREIG | N PATENT DOCU | MENTS | | |
| | Document Number | Date | Country | y | Class | Subclass | Translation Yes No |
| | EP0860516A | 2 03.02.1998 | EP | | - | - | + |
| | | | | thor, Title, Date, Pe | | | |
| KAB | Microfabricate | | or Chips, U | Resolution DC Magr Iniversity of Cincinna 1. | | | |
| KAB | | | | ingetometer Using Apgnetics, Vol. 25, No. 5 | | | |
| KAB | O. Dezauri, e | | uit Board l | Integrted Fluxgate Se | nsor, Elsevie | r Science S.A. | . (2000) Sensors |
| KAB | Moreland, Flu | uxgate Magnetor | neter, Carl | W. Moreland, 1999- | 2000, pp. 1-9 |). | •••••••• |
| KAB | Ripka, et al; S August 25, 200 | | e Improves | s Micro-Fluxgate Sen | sors, Sensors | s and Acutuato | ors, Version 1, |
| KAB | | | | -Sensitivity Fluxgate ectroMagnetic Applic | | ter Using Sing | le-Crystal Yttriun |
| Examin | ^{eŋ} Katherine | A. Barefo | Pte Consid | dered 02/01/2 | 007 | | |
| Draw li | | ition if not in co | | ther or not citation is and not considered | | | |

| INFO | RMATION DIS | CLOSURE CI | TATION ' | WITH DOCUMENT | COPIE | S | |
|----------------|---|--------------------|--------------------|---|------------|-----------------------|-------------------------------|
| Subm | itted by: | | | Atty. Docket No. DP-310179 | | erial No. 0/808245 | |
| CUST Delph | TT A. MCBAIN TOMER NUMB ii Technologies, No. 37181 | ER 22851 | | Applicant Taeyoung Han Filing Date 03-24-2004 | | Group 1762 | |
| | | U.S. | PATENT | DOCUMENTS | | | |
| Exam. Init. | Document Number | Date | Name | | Class | Sub Class | Filing Date (if approp.) |
| KAB | 6,283,859 | 09/04/2001 | Carlson, | et al. | | | |
| KAB | 6,289,748 | 09/18/2001 | Lin, et a | l. | | <u> </u> | |
| KAB | 6,338,827 | 01/15/2002 | Nelson, | et al. | | | |
| KAB | 6,402,050 | 06/11/2002 | Subrama | _{mian, et al} Kashir | ip et | alļ · | |
| | 6,422,039 | 08/27/2002 | Schreibe | | 1 | | 1 |
| KAB | 6,422,360 | 07/26/2002 | Oliver, e | et al. | | | <u> </u> |
| KAB | 6,465,039 | 10/15/2002 | Pinkerto | n, et al. | | ļ. | 1 |
| KAB | 6,485,852 | 11/26/2002 | Miller, e | t al. | | | |
| | | | FOREIG | N PATENT DOCU | MENTS | | |
| | Document Number | Date | Country | | Class | Subclass | Translation Yes No |
| | <u> </u> | <u> </u> | 1 | | | | ļ. |
| | | | | | | | |
| | | | | | | | |
| | | | | thor, Title, Date, Per | | | |
| KAB | June 17, 2000. | | ensor with | Closed Core, submitt | ted for Se | nsors and Actuat | ors, version 1, |
| KAB | Hendriksen, 6 (1996) pp. 897 | | ection and | Feedback Fluxgate M | lagnetome | eter, Meas. Sci. T | Cechnol. 7 |
| KAB | Cetek 930580 | Compass Senso | or, Specific | ations, June 1997 | | | |
| KAB | Geyger, Basic pp. 219-232. | c Principles Cha | racteristics | and Applications, Ma | agnetic A | mplifier Circuits, | , 1954, |
| Examir | ^{ler} /Katherin | e A. Baref | Pate Consid | dered 02/01, | /2007 | | |
| Draw l | | ation if not in co | | ther or not citation is and not considered | | | |

| INFOR | RMATION DIS | SCLOSURE CI | TATION ' | WITH DOCUMEN | T COPIES | | |
|---|---|-----------------|------------|---|-----------------------------|----------------------------------|-------------------------------|
| Submitted by: | | | | Atty. Docket No. DP-310179 | Sei | rial No. /808245 | |
| SCOTT A. MCBAIN CUSTOMER NUMBER 22851 Delphi Technologies, Inc., Reg. No. 37181 | | | | Applicant Taeyoung Han Filing Date 03-24-2004 | | Group 1762 | |
| | | ПС | DA TENT | DOCUMENTS | | | |
| Exam. Init. | Document Number | Date | Name | DOCUMENTS | Class | Sub Class | Filing Date (if approp.) |
| KAB | 6,511,135 | 01/28/2003 | Ballinge | r, et al | | 1 | 1 |
| KAB | 6,537,507 | 03/23/2003 | Nelson, | et al. | | | |
| KAB | 6,623,704 | 09/23/2003 | Roth | | | l | |
| KAB | 6,623,796 | 09/23/2003 | Van Ste | enkiste, et al. | | 1 | |
| KAB | 6,624,113 | 09/23/2003 | LaBarge | e, et al. | | | |
| KAB | 2002/ 0071906 | 06/2002 | Rusch | | | l | |
| KAB | 2002/ 0102360 | 08/01/2002 | Subrama | nnian, et al. | 1 | l | |
| KAB | 2002/ 0112549 | 08/22/2002 | Cheshm | ehdoost, et al | l | . | |
| | *************************************** | | FOREIG | N PATENT DOCU | MENTS | | |
| | Document Number | Date | Country | | Class | Subclass | Translation Yes No |
| | | l | | | | | |
| | I | 1 | 1 | | | | |
| | l | l | | | | | 1 |
| | OTHER DO | CUMENTS (Inc | luding Au | thor, Title, Date, Po | ertinent Pa | ges, Etc.) | |
| | ' | | | | | | |
| ****** | 1 | | | • | | | ********** |
| | | | | • | | | , |
| Examin | eyKatherin | e A. Baref | Pate Consi | dered 02/0 | 1/2007 | | |
| *Exam | iner: Initial if | reference consi | dered whe | ther or not citation ce and not consider | is in confor ed. Include | rmance with N copy of this fo | 1PEP 609; orm with next |
| | nication to ap | | | | | | |

| INFO | RMATION DISC | <u>CLOSURE CI</u> | TATION ' | <u>WITH DOCUMENT</u> | COPIES | | · |
|----------------|-------------------------|---------------------------|------------|--|------------|-------------------|---|
| | itted by: | | | Atty. Docket No. DP-310179 | Ser | ial No. 808245 | |
| | | | | Applicant | | ······ | - |
| SCO | TT A. MCBAIN | | | Taeyoung Han | | | |
| CUST | OMER NUMBE | ER 22851 | | | | | |
| Delph | i Technologies, 1 | inc., | | | | | |
| | | | | Filing Date | | roup | |
| Reg. 1 | No. 37181 | | | 03-24-2004 | 1 | 762 | |
| | | U.S | | DOCUMENTS | | | |
| Exam. Init. | Document Number | Date | Name | | Class | Sub Class | Filing Date (if approp.) |
| KAB | 5,302,414 | Alkhimov | 04-12-1 | 994 | 1 | F | |
| KAB | 6,317,913B1 | Kilmer | 11-20-2 | 001 | ١ | | |
| KAB | 6,344,237B1 | Kilmer | 02-05-20 | 002 | 1 | | · |
| | | <u> </u> | 1 | | | <u> </u> | |
| | <u> </u> | <u> </u> | 1 | | | <u> </u> | <u> </u> |
| | | | 1 | | <u> </u> | <u> </u> | <u> </u> |
| - | 1 . | | 1 | *************************************** | ļ. | | <u> </u> |
| | | | | | | ' | |
| <u> </u> | | | | N PATENT DOCUM | | | |
| | Document Number | Date | Country | y | Class | Subclass | Translation Yes No |
| | DP0860516A | I 03.02.1998 | EP | | 1 | 1 | 1. |
| | | | | | | | |
| | <u> </u> | <u> </u> | <u> </u> | ••••• | | | |
| | OTHER DOC | UMENTS (Inc | luding Au | thor, Title, Date, Per | tinent Pag | es, Etc.) | |
| | | ••••• | | | | | •••••• |
| | | | | | | | |
| | | | | | | | |
| Examin | ^{ey} Katherine | A. Baref | Pate Consi | dered 02/01/2 | 007 | | |
| | | | | ther or not citation is ce and not considered | in confor | | |
| commu | nication to appl | icant | | | | | *************************************** |